

UnoMeter™ Safeti™ Plus System

Hourly Diuresis Monitoring System (with Fixed Bag and KombiKon™ Sampling Port)

Intended use:

UnoMeter™ Safeti™ Plus is a mechanical and disposable urine meter which is intended to be used for collection, sampling and measuring urine volume output (diuresis) over time in critically ill patients.

The device consists of a urine collection bag directly attached to a measuring device providing a closed collection system. The urine meter is attached to a Foley (bladder) catheter and the urine flows through the catheter to the chamber. The urine meter is designed with two non-return valves (NRVs) which help minimize retrograde infection. Fitted with bottom outlet. The products are intended for single use only.



Product range:

REF	Description
158101310190	2.0L Fixed bag, Straps and round hooks, 150 cm, Free flow
158100510190	2.0L Fixed bag, Straps and round hooks, 110 cm, Free flow
158101210190	2.0L Fixed bag, Straps, 150 cm, Free flow
158100410190	2.0L Fixed bag, Straps, 110 cm, Free flow

Material specifications:

Contains latex? No

Contains DEHP? No

Contains cotton? No

Contains paper? Yes (packaging only)

UnoMeter™ Safeti™ Plus urine meter Polyvinyl chloride (tubing, valve, film/foil),

Acrylonitrile-butadiene styrene, Styrene-acrylonitrile (chamber),

Expanded polytetrafluoroethylene+Non-woven polyester (filter),

Low density polyethylene, High density polyethylene (cap),

Polyamide (hook), Thermoplastic polyester elastomer (strap),

Polypropylene (clamp)

KombiKon™ needle-free sample port Polyvinyl chloride, Polypropylene, High density polyethylene,

Polyethylene, Thermoplastic elastomer

Certifications:

CE-marking? Yes (CE 2797)

Product classification Class I (EU)

Quality system certified to ISO 13485

Global Medical Device Nomenclature (GMDN) 32072

Sterilization:

Sterile? Yes

Sterilized by Ethylene oxide

Shelf life 4 years

Packaging specifications:

REF	Shipping carton				MOQ, pcs
	Qty, pcs	Dimensions, mm (LxWxD)	Gross Wt. kg	Volume m ³	
158101310190	10	400 x 359 x 270	4.6	0.039	10
158100510190	10	400 x 359 x 270	4.4	0.039	10
158101210190	10	400 x 359 x 270	4.5	0.039	10
158100410190	10	400 x 359 x 270	4.3	0.039	10

Storage and handling:



Instruction for use:

Yes